

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**LISTING OF CLAIMS:**

1. (Currently Amended) A system for monitoring a transaction executing on a network computer, comprising:

a read unit accessing a web page from a web server, wherein the web page includes at least one block of processing code for executing a transaction;

a reconfiguration computer downloading the web page from the web server;

an update unit updating the web page by inserting instructions in the web page, wherein said instructions comprise a function for monitoring the transaction, including a transaction execution time; and

a storage unit storing the updated web page on the web server.

2. (Original) The system according to claim 1, wherein the inserted instructions comprise a call instruction linking the at least one block of code to one or more files comprising monitoring instructions.

3. (Original) The system according to claim 1, wherein the inserted instructions comprise a call instruction providing a data communication link both within the web page and to a computer remote from the web server.

4. (Original) The system according to claim 3, further comprising:  
a second storage unit storing the monitoring instructions file on the web server; and  
a second update unit modifying a web server page tag of the transaction to be monitored to reference the monitoring instructions file.

5. (Currently Amended) A system for monitoring a transaction executing on a network computer, comprising:

a first transmission unit sending a web page from a web server to a client browser within a network;

a processor executing an applet within the web page on the client browser, wherein the applet includes at least one link to a monitoring code file;

a monitoring unit invoking the monitoring code file to monitor a transaction within the applet on the client browser, including a transaction execution time; and

a second transmission unit sending data generated from monitoring the transaction to a measurement computer, wherein the measurement computer is a computer other than the web server, and wherein the monitoring code file resides on a computer other than the measurement computer.

6. (Original) The system according to claim 5, wherein the web page can contain one or more applets and each applet can contain one or more transactions to be monitored.

7. (Original) The system according to claim 5, wherein the monitoring unit further captures data associated with the execution of the transaction on the client browser.

8. (Original) The system according to claim 5, wherein the monitored transaction data includes one or more data items selected from a list consisting of transaction start and stop time, the time zone in which the transaction is executed, and the operating system of the client browser.

9. (Original) The system according to claim 5, wherein the monitored transaction data is stored and evaluated on the measurement computer independently from the processing of the web page on the client browser.

10. (Currently Amended) A system for monitoring a transaction executing on a network computer, comprising:

an association unit linking an applet within a web page on a web server to at least one monitoring code file;

a first transmission unit sending the web page from the web server to a client browser within a network;

a processor executing the linked applet within the web page on the client browser;

a monitoring unit invoking the monitoring code file to monitor a transaction within the linked applet on the client browser, including a transaction execution time;

and

a second transmission unit sending data from monitoring the transaction to a measurement computer, wherein the measurement computer is a computer other than the web server.

11. (Currently Amended) A system for monitoring a transaction executing on a network computer, comprising:

a first transmission unit downloading transaction code from a first computer to be processed on a second computer;

a processor executing the downloaded transaction code on the second computer;

a browser to extract monitoring code from the first computer to the second computer;

a monitor unit on the second computer capturing transaction execution data associated with the executing transaction, including a transaction execution time;  
and

a second transmission unit sending the transaction execution data from the second computer to a third computer, wherein the first, second, and third computers are remote from each other.

12. (Currently Amended) A method for monitoring a transaction executing on a network computer, comprising the steps of:

accessing a web page from a web server, wherein the web page includes at least one block of processing code for executing a transaction;

downloading the accessed web page to a reconfiguration computer;

updating the web page by inserting instructions in the web page, wherein said instructions comprise a function for monitoring the transaction, including a transaction execution time; and  
storing the updated web page on the web server.

13. (Original) The method according to claim 12, wherein the inserted instructions comprise a call instruction linking the at least one block of code to a file comprising monitoring instructions.

14. (Original) The method according to claim 12, wherein the inserted instructions comprise a call instruction providing a data communication link both within the web page and to a computer remote from the web server.

15. (Original) The method according to claim 14, further comprising the steps of:  
storing the monitoring instructions file on the web server; and  
modifying a web server page tag of the transaction to be monitored to reference the monitoring instructions file.

16. (Currently Amended) A method for monitoring a transaction executing on a network computer, comprising the steps of:  
sending a web page from a web server to a client browser within a network;  
executing an applet within the web page on the client browser, wherein the applet includes at least one link to a monitoring code file;

invoking the linked monitoring code file to monitor a transaction within the linked applet on the client browser, including a transaction execution time; and sending data generated from monitoring the transaction to a measurement computer, wherein the measurement computer is a computer other than the web server, and wherein the monitoring code file resides on a computer other than the measurement computer.

17. (Original) The method according to claim 16, wherein the web page can contain one or more applets and each applet can contain one or more transactions to be monitored.

18. (Original) The method according to claim 16, wherein the step of invoking the monitoring code file includes capturing data associated with the execution of the transaction on the client browser.

19. (Original) The method according to claim 16, wherein the monitored transaction data includes one or more data items selected from a list consisting of transaction start and stop time, the time zone in which the transaction is executed, and the operating system of the client browser.

20. (Original) The method according to claim 16, wherein the monitored transaction data is stored and evaluated on the measurement computer independently from the processing of the web page on the client browser.

21. (Currently Amended) A method for monitoring a transaction executing on a network computer, comprising the steps of:

linking an applet within a web page on a web server to at least one monitoring code file;

sending the web page from the web server to a client browser within a network;

executing the linked applet within the web page on the client browser;

invoking the linked monitoring code file to monitor a transaction within the linked applet on the client browser, including a transaction execution time; and

sending data generated from monitoring the transaction to a measurement computer, wherein the measurement computer is a computer other than the web server.

22. (Currently Amended) A method for monitoring a transaction executing on a network computer, comprising the steps of:

downloading from a first computer transaction code to be processed on a second computer;

executing the downloaded transaction code on the second computer;

extracting monitoring code from the first computer to the second computer;

invoking a monitoring function on the second computer, wherein transaction execution data associated with the executing transaction is captured by the monitoring function, including a transaction execution time; and

sending the transaction execution data from the second computer to a third computer, wherein the first, second, and third computers are remote from each other.